


## Cross-Linked Collagen Triple Helices by Oxime Ligation

N. B. Hentzen<sup>1</sup>, L. E. Smeenk<sup>1</sup>, J. Witek<sup>2</sup>, S. Riniker<sup>2</sup>, H. Wennemers<sup>1\*</sup>

<sup>1</sup>Laboratorium für Organische Chemie, ETH Zürich, CH-8093 Zürich, <sup>2</sup>Laboratorium für Physikalische Chemie, ETH Zürich, CH-8093 Zürich

Collagen is the most abundant protein in mammals and the main component of their extracellular matrix.<sup>1,2</sup> The chemical synthesis of collagen is attractive for medical and nanotechnological applications<sup>3</sup> since it can provide access to structurally defined and functionalizable materials.<sup>4,5</sup> However, the bottom-up design of materials mimicking the fibrous structures of natural collagen is hampered by the entropically unfavorable assembly of short single strands into triple helices.<sup>1,2</sup> To lay the foundation for higher-ordered assemblies of collagen model peptides (CMPs), we covalently connected CMPs by oxime linkages between aminooxyproline (Aop)<sup>6</sup> and 2-oxoacetamidoproline (Alp) derivatives placed in neighboring strands. The cross-linked strands folded into collagen triple helices with remarkably high thermal stabilities ( $T_m \sim 80^\circ\text{C}$ ). The design of the cross-links was guided by an analysis of the conformational properties of Aop, studies on the stability and functionalization of Aop-containing collagen triple helices, and molecular dynamics calculations. Our findings open new opportunities for the design of functional collagen-based materials forming by the sticky-ended assembly of structurally well-defined triple helices.



[1] M. D. Shoulders, R. T. Raines, *Annu. Rev. Biochem.* **2009**, *78*, 929.

[2] J. Bella, *Biochem. J.* **2016**, *473*, 1001.

[3] S. Chattopadhyay, R. T. Raines, *Biopolymers* **2014**, *101*, 821.

[4] B. Brodsky, G. Thiagarajan, B. Madhan, K. Kar, *Biopolymers* **2008**, *89*, 345.

[5] C. Siebler, R. S. Erdmann, H. Wennemers, *Chimia* **2013**, *67*, 891.

[6] F. Liu, A. G. Stephen, R. J. Fisher, T. R. Burke, *Bioorg. Med. Chem. Lett* **2008**, *18*, 1096.