

Quantum Logic Spectroscopy for Single Trapped Molecular IonsG. Hegi¹, K. Najafian¹, M. Sinhal¹, Z. Meir¹, I. Sergachev², S. Willitsch^{1*}¹Universität Basel, ²Alpes Lasers SA

The application of quantum techniques to the spectroscopy of single trapped particles has enabled the determination of atomic properties at unprecedented levels of precision. “Quantum-logic spectroscopy” (QLS) has enabled the next generation of atomic clocks and new precision tests of fundamental physical theories^[1]. Thus, we wish to extend the scope of quantum techniques to spectroscopically probe the properties of single isolated molecular ions^[2]. We also intend to establish a quantum toolbox for the non-destructive interrogation of single molecules by coupling to a single atom. These developments will pave the way for molecular precision spectroscopic measurements to study, e.g., a possible time variation of particle masses^[3-5] with N_2^+ which has been identified as a promising candidate system^[3]. We will report our recent progress towards these goals.

[1] P. O. Schmidt *et. al.*, *Science* **309** (2005), 749.

[2] M. Germann *et al.*, *Nature Physics* **10** (2014), 820.

[3] M. Kajita *et. al.*, *Phys. Rev. A* **89** (2014), 032509.

[4] S. Willitsch, *Int. Rev. Phys. Chem.* **31** (2012), 175.

[5] S. Schiller *et. al.*, *Phys. Rev. Lett.* **113** (2014), 023004.